Name	File Number Class

MATHEMATICS
Paper 2
2½ Hours

121/2

SET 1

FORM 3

Kenya Certificate of Secondary Education (K.C.S.E)

Instructions to candidates

- 1. Write your name, admission number and class in the spaces provided above.
- 2. The paper contains two sections: **Section I** and **Section II**.
- 3. Answer <u>ALL</u> the questions in **Section I** and <u>ANY FIVE</u> questions from **Section II**.
- 4. All working and answers must be written on the question paper in the spaces provided below each question.
- 5. Marks may be awarded for correct working even if the answer is wrong.
- 6. Negligent and slovenly work will be penalized.
- 7. Non-programmable silent electronic calculators and mathematical tables are allowed for use.

For Examiner's use only

Section I

1	2	3	4	5	6	7	8	9	1	1	1	1	1	1	1	Т
									0	1	2	3	4	5	6	ο
																t
																а
																I

17	18	19	20	21	22	23	24	Total		
									Grand Total %	

This booklet contains 15 printed pages. Please confirm that all the pages exist and are properly printed before starting the exam.

Section I (50 marks) Answer <u>all</u> the questions in this section

1. Solve for x in the equation Sin $(4x - 10)^{\circ}$ – Cos $(x + 60^{\circ})^{\circ}$ = 0 (3 marks)

2. (a) Find the greatest common divisor of the term $9x^3y^2$ and $4xy^4$. (1mark)

(b) Hence factorize completely the expression $9x^3y^2 - 4xy^4$ (2marks)

3 The area of a rhombus is 120 cm². Given that one of its diagonals is 24cm, calculate the perimeter of the rhombus. (3 marks)

4. Given that $\overrightarrow{OA} = 2\mathbf{i} + 3\mathbf{j}$ and $\overrightarrow{OB} 3\mathbf{i} - 2\mathbf{j}$. Find the magnitude of AB to one decimal place. (3marks)

5. Given that $log_{10}7 = 0.8451$ and $log_{10}6 = 0.7782$. find $log_{10}25.2$ (4 marks)

6. The angle subtended by the major arc at the centre of the circle O is twice the angle subtended by the minor arc at the centre. If the radius of the circle is 3.5cm, find the length of the minor arc. $(\text{Take}\pi = \frac{22}{7})$ (3 Marks)


7. Simply and leave answer in surd form. -9 5

$$\frac{-9}{\sqrt{13} + \sqrt{3}} - \frac{5}{\sqrt{3} - \sqrt{13}}$$

(4 marks)

8. A line L is perpendicular to 3y - 4x = 7. Determine the acute angle between L and the x-axis. (3marks)

9. The figure below is a velocity – time graph for a car.



a) Find the total distance travelled by the car.


(2marks)

b) Calculate the deceleration of the car.


(1marks)

10. The figure below shows triangle PQR in which PR = 12cm. T is a point on PR such that TR =4cm. Line ST is parallel to QR. If the area of triangle PQR is 336cm², find the area of the quadrilateral STQR.

(3 marks)



11. In the diagram below, P, Q and R are points on the circumference of a circle. PQ = 10 cm, PR = 12 cm and QR = 8 cm.



Find the radius of the circle to 2 decimal places.


(3 marks)

12. Solve for *x* in the equation: $2 + \log_7(3x - 4) = \log_7 98$

(3 marks)

13. Form the inequalities represented by region R.

(3 marks)



14. From the roof of a house, a boy can see an avocado tree which is 20m away from the house. He measures the angle of elevation of the top of the tree as 21° and the angle of depression of the bottom of tree as 31°. Find the height of the avocado tree. **(3 marks)**

15. Find the percentage error in calculating the volume of the cuboid whose dimensions are 8.2cm by 6.2cm by 5.7cm. **(3 marks)**

16. A bus moving at a speed of 80km/h is being overtaken by a car moving at 100km/h in a clear section of a road. Given that the bus is 21m long and the car is 4m long. How much time (in seconds) will elapse before the car can completely overtake the bus? (3marks)


SECTION II: (50 MARKS) Answer any five questions from this section

17. (a) Complete the table below for the function y = Sin $2x^0$ and y = $3 \cos x^0$ for $-180^0 \le x \le 180^0$.

(2 marks)

									(= ::::::				
X_0	-	-	-	-	-	-	0	3	6	9	1	1	1
	1	1	1	9	6	3		0	0	0	2	5	8
	8	5	2	0	0	0					0	0	0
	0	0	0										
Sin	0			0	-				0	0			0
2					0								
х									8				
0					8				7				
					7								
3C	-	-		0		2					-		
0	3	2									1		
S						6							
х		6									5		
0													

(b) On the same axes, draw the graph of $y = \sin 2x^0$ and $y = 3 \cos x^0$ for $-180^0 \le x \le 180^0$. (5marks)



- (c) Use the graph in (b) above to find:
- (i) the value of x such that 3 $\cos x^0$ $\sin 2x^0$ = 0.

(1 mark)

(ii) the difference in value of y when $x = 45^{\circ}$.

(1 mark)

(iii) Range of values of x such that 3 Cos x > 1.5.

(1mark)


18. (a) Complete the table below for the equation

$$y = x^2 + 3x-6$$
, given $-6 \le x \le 4$.

(2marks)

Х	-6	-	-	-	-	-	0	1	2	3	4
		5	4	3	2	1					
Υ	12			-			-				22
				6			6				

(b) Using a scale of 1cm to represent 1 unit in the x-axis and 2 units in the y-axis, draw the graph of $y = x^2 + 3x - 6$. (4marks)




(c) Use your graph to solve the quadratic equation.

i)
$$x^2 + 3x - 6 = 0$$

(1mark)

ii)
$$x^2 + 3x - 2 = 0$$

(3marks)



b).If
$$\frac{9}{98}x^2 - \frac{3}{28}x + \frac{3}{16} + B$$
 is a perfect square. Find the value of B. (3 marks)

- c. If $\cos \theta^{o} = \frac{-15}{17}$ and θ is obtuse, find without using tables the values of
- i) $tan\theta^{o}$. (2marks)

ii)
$$\sin (180 - \theta)^{\circ}$$
 (1mark)

20. The figure below represents a quadrilateral piece of land PQRS divided into three triangular p The length QT and RS are 100m and 80m respectively. Angle PQT= 30° , angle PRT = 45° and angle F= 100° .	
30 ⁰	
(a) Find to four significant figures	
(i) the length of PT. (2ma	ırks)
(ii)The length of PS. (3ma	ırks)
(I) The length of F3.	пкэ)
(iii) the perimeter of the piece of land. (2ma	ırks)

each plot. The type of marked wire to be used is sold in rolls of length of 480m.Calculate t rolls of marked wire that must be bought to complete the fencing of the plot.	
21. Musa obtained a loan in which the rate of interest was charged at 3.5% quarterly. He loan by paying Ksh: 24,805 at the end of 1½ years.(a) How much was the loan if the rate was on:	cleared this
(i) Simple interest.	(4 marks)
(ii)Compound interest.	(4 marks)
(b) Calculate the difference between simple and compound interest.	(2 marks)

The Examiner 12 SET 1

- **22.** Two circles, centre A and B, have radii 4cm and 8cm respectively. If the two circles share a common chord 6cm long, (Taking π = 3.142).
- (a) Calculate the area of the common region.

(6 marks)

(b) After constructing the two circles, each separately on a piece of paper, a student cut out a minor segment on each circle along the chord 6cm and joined the major segments along the chords Find the perimeter of the figure made. (4 marks)

23. The following data was obtained for masses of some pregnant women in a maternity clinic

Mass x (kg)	1.5 <u><</u> x<5.5	5.5 <u><</u> x<7.5	7.5 <u><</u> x<13.5	13.5 <u><</u> x<15.5	15.5 <u><</u> x<20.5
No. Of wom en	16	20	18	14	15

(a)Re	present	the	info	orm	atio	on ir	n the	e tal	ble	abo	ve (on a	a h	ist	ogra	ım,	on	the	g	rap	hη	ра	pe	r provided.	
				} 																				E	(6marks)
																						i		E	
																						İ			
																						i			
																			i			i		Ē	
																						i			
																						i			
																						i			
																						İ			
																						i			
																						ij			
																								Ē	
																						İ			
																			İ			İ		E	
																			i			İ		E	
																			i			i			
																						i			
																						i			
																						İ		E	
																			i			i			
																			H					F	
(b)	Use th	e inf	orn	nati	on i	in th	ne ta	ble	abo	ove	to e	estii	ma	ite	:										
(i)	the me	ean r	mas	s.																					(2marks)
(ii)	the me	-diar	n m	ass.																					(2marks)
(,	the me	Jaiai		u 55.																					(Ziliai Ko)

24 . a) A room is constructed such that its external length and breadth are 7.5m and 5.3m respectively. The thickness of the wall is 15cm and its height is 3.3 metres. A total space of 5 m ² is left for windows on the walls.	•
a) Calculate the volume of:i) the materials needed to construct the walls with the doors and windows.	(4 marks)
ii) the materials needed to construct the walls without doors and windows.	(2 marks)
b) The blocks used in constructing the walls are 450mm by 200mm by 150mm. 0.225m³ of cerr to join the blocks. Calculate the number of blocks. Calculate the number of blocks needed to the room.	

SET 1

MATHS PAPER 2 MARKING SCHEME.

	MATIDIALER 2 MARKING SCHEME,	1
1	Sin $(4x + 10)^\circ$ = sin $(90 - (x + 60)^\circ$	
	$4 \times 10^{\circ} = 90 - x - 60^{\circ}$	M
	4x + x = 20	1
	5x = 20	M
	$x = 4^{\circ}$	1
		Α
		1
		3
		m
		k
		S
2	$\sim CD \ of 0 x^2 x^2 \ and \ 4 x x^4$	3
2	a) CD of $9x^3y^2$ and $4xy^4$	
,	$9x^2$ $4y^2$	_
	$GCD = xy^2$	Α
	b) $9r^3v^2 - 4rv^4 - rv^2(9r^2 - 4v^2)$	1
	b) $9x^3y^2 - 4xy^4 = xy^2(9x^2 - 4y^2)$ $9x^2 - 4y^2$	
	$9x^{2} - 4y^{2} = (3x + 2y)(3x - 2y)$	
	$= xy^{2}(3x + 2y)(3x - 2y)$ $= xy^{2}(3x + 2y)(3x - 2y)$	M
	-xy(3x+2y)(3x-2y)	1
		Α
		1
		3
		m
		k
		S
3	Area of rhambus - product of diagonals	
	Area of rhombus = $\frac{1}{2}$ product of diagonals	
	$120 = \frac{1}{1} \times 24 \times x$	M
	$120 = - \times 24 \times x$	1
	2 nd diagonal x = 10	
	$y = \sqrt{5^2 + 12^2} = 13$ cm	
		М
	Perimeter = 13 x 4	1
	= 52cm ²	
		Α
		1
		3
		m
		k
		IN.

		S	
4	AB = (3i - 2j) - (2i + 3j) = i - 5j	M	
_	$ \overrightarrow{AB} = \sqrt{1^2 + (-5)^2} = \sqrt{26} = 5.1 \text{ units}$	2	
	$ AB = \sqrt{1^{2} + (-5)^{2}} = \sqrt{20} = 5.1 \text{ units}$	A	
		1	
		3	
		m	
		k	
		S	
5	$log_{10}7 = 0.8451$		
	$log_{10} = 0.7782$		
	$log_{10}^{10} 6 = 0.7782$ $log_{10}(25.2) = log_{10} \left(\frac{6^2 x7}{10}\right)$		
	$log_{10}(25.2) = log_{10}(\frac{3.11}{10})$	М	
	$= 2log_{10}6 + log_{10}7 - log_{10}10$	1 1	
	= 2(0.7782) + 0.8451 - 1	_	
	=1.5564 + 0.8451 - 1	М	
	=1.4015	1	
	-1.4015	М	
		1 1	
		Α	
		1	
		_	
		4	
		m	
		k	
		S	
6	2x + x = 360		
	2X X = 300	М	
	$x = 120^{\circ}$	1	
		_	
	$\frac{120}{360}$ x $\frac{22}{7}$ x 2 x 3.5		
		М	
	$\frac{1}{3}$ x 22 x 2 x 0.5= 7.33cm	1	
	3	_	
		Α	
		1	
		3	
		m	
		k	
		S	
			1

7	$0(\sqrt{3}-\sqrt{13})-5(\sqrt{3}+\sqrt{13})$		
	$\frac{-9(\sqrt{3}-\sqrt{13})-5(\sqrt{3}+\sqrt{13})}{(\sqrt{3}+\sqrt{13})(\sqrt{3}-\sqrt{13})}$	М	
	$(\sqrt{3} + \sqrt{13})(\sqrt{3} - \sqrt{13})$	1	
	$= \frac{-9\sqrt{3} + 9\sqrt{13} - 5\sqrt{3} - 5\sqrt{13}}{3 - 13}$ $= \frac{4\sqrt{13} - 14\sqrt{3}}{-10}$ $= \frac{7\sqrt{3} - 2\sqrt{13}}{5}$		
	3-13	М	
	$=\frac{4\sqrt{13-14\sqrt{3}}}{12}$	1	
		_	
	$=\frac{7\sqrt{3}-2\sqrt{13}}{2}$	М	
	5	1	
		Α	
		1	
		4	
		m	
		k	
8	3y = 7 + 4x	S	
0		М	
	$y = \frac{7 + 4x}{3}$	1	
	$\tan \theta = \frac{4}{3}$		
	tangent $\theta = 53.13^{\circ}$	М	
		1 A	
		1	
		3	
		m	
		k	
0	(a) D = 1/ (2.4 ± 16)80	S	
9	(a) $D = \frac{1}{2}(24 + 16)80$	M 1	
	=1,600 m	_	
	(1-) 80	Α	
	(b) = $-\frac{80}{4}$	1	
	= 20m/s² (deceleration)		
		Α	
		1	
		3	
		m k	
		k s	

1	$L.s.f = \frac{12}{8} = \frac{3}{2}$ $A.S.f = \left(\frac{3}{2}\right)^2$		
(8 2		
	$(3)^2$		
	$A.S.f = \left(\frac{1}{2}\right)$		
	336	М	
	$\frac{336}{A} = \frac{9}{4} \Rightarrow A = 149 $	1	
		_	
	Area of quadrilate ral		
	= 336 - 149 ¹ / ₂	N 4	
	$= 186 \frac{2}{3} cm^{-3}$	М	
	7	1	
		Α	
		1	
		3	
		m	
		k	
		S	
1	$10^2 + 12^2 - 8^2$	3	
-	$\cos P = \frac{10^2 + 12^2 - 8^2}{2 \times 10 \times 12}$	N/I	
		M	
	$P = 41.41^{\circ}$	1	
	8		
	$2R = \frac{8}{\sin 41.41^{\circ}}$		
	R = 6.05	М	
	K = 0.03	1	
		Α	
		1	
		3	
		m	
		k	
	(00)	S	
1	$2 = \log_7 \left(\frac{98}{3x - 4} \right)$ $\frac{98}{3x - 4} = 49$		
]	(3x-4)		
	98	М	
	$\frac{1}{2r} = 49$	1	
	5x - 4		
	2 = 3x - 4	М	
	x = 2	1	
		Α	
		1	
		3	
		m	
		k	
		S	

		_	
1	~ -3	В	
	$y < \frac{-3}{5}\chi + 3$ $y \le \chi + 3$ $y \ge -2$	1	
	2		
	$y \le \chi + 3$		
	$y \ge -2$	В	
	· ·	1	
		В	
		1	
		3	
		m	
		k	
		S	
1	A		
	γ /		
	$Tan 21^{\circ} = \frac{\chi}{20}$		
	20/ 🕱		
	$\chi = 20 \text{ tan } 21$		
		М	
	= 7.677		
	TIN 21 V	1	
	$Tan 31 = \frac{y}{20}$		
	20		
	y = 20 tan 31		
	= 12.017	M	
		1	
	∴ Height of tree = χ + y		
	= 7.677 + 12.017		
	= 19.694		
		Α	
		1	
		3	
		m	
		k	
		S	
1	$R = \frac{0.05}{0.05} + \frac{0.05}{0.05} + 0.05$	М	
	$R.E = \frac{0.05}{8.2} + \frac{0.05}{6.2} + \frac{0.05}{5.7}$		
		1	
	= 0.02293		
	$P.E = 0.02293 \times 100$		
		М	
	- 2 202	1	
	= 2.293	_	
		Α	
		1	
		3	
		m	
		k	
		S	
1	r.s = 100 – 80 = 20km/h		
	1.5 - 100 - 80 - 20KIII/II 20x1000		
	$\rightarrow \frac{20 \times 1000}{60 \times 60}$		
	50 x 50	L	1

Tim Tim	/s $e = \frac{total \ dis}{r \cdot s}$ $e = \frac{(4+21)}{\frac{50}{9}}$ $n = 4.55$													M A 3	1 1 m
χο	T -	1 _ 1				l <u>.</u>	0	3	6	9	1	1	1		k s
λ-	1 8 0	1 5 0	1 2 0	g (6 0	3 0		0		_	2 0	5 0	8		
Sin 2 χ	0	0 . 8 7	0 8 7	0	- 0 8 7	- 0 8 7	0	0 8 7	1		- 0 8 7	- 0 8 7	0	В	1
3 C ο s	- 3 0	- 2 6 0	- 1 5 0	0	1 5 0	- 2 6 0	3			0	- 1 5 0	- 2 6 0	- 3	,	1
			-160 -	20 1	-8	30.0		GO	ad to	0 15	, / o				

(i) -90° or 90°	B1	
(ii) $2.1 \pm 1 = 1.1 \pm 0.1$	B1	
(iii) -60°< x< 60°	B1	

	X 0 1 2 3 4 3 2 1	4 T2	
	Y 1 4 4 1 2	2	
	2 2 6 8 8 6 2 2	2	
	b) 221		
	7 Y = X + 3X-6 P1 - plotting		
	18. S1 - Correst scale C1 - Curve		
	16 SC1 - Smooth curve		
	14		
	12		
	8		
	6		
	2		
	-5 -4 -5 -2 -9 1 / 2 3 4 5 6 7		
	2		
	Y= 1		
	.10		
	a) i)Fue we the execute		
	c) i)From the graph $x = -4.4$ or $x = 1.4 \pm 0.5$. The points (circles) should be clearly on the	A1	
	graph	.	
	ii) $y = x^2 + 3x - 6$	D1	
	$\underline{0 = x^2 + 3x - 2}$	B1 A1	
	y = -4 $x = -3.6$ or $x = 0.6 \pm 0.5$	/12	
	Λ − -3.0 Ol Λ − 0.0 ± 0.3	10	
		m	
		k	
1	42 6	S N1	
1 9	a) $k = \frac{1}{12} = \frac{3}{3} = 2$	M1	
	$\frac{x2}{-32} = 2$	M1	
	-32		

		ı	ı
	x + 2 = -2 $x = -4$	M1	
	$\frac{y-3}{-6-3}=2$	IVII	
	y - 3 = -18 $y = -15$	A1	
	Image = (-4, -15)		
	$b) b^2 = 4ac$		
	$(-3)^2$ (9(3))	M1	
	$\left(\frac{-3}{28}\right)^2 = 4\left(\frac{9}{98}\left(\frac{3}{16} + B\right)\right)$		
	$\frac{9}{784} = 4\left(\frac{27}{1568} + \frac{9B}{98}\right)$	M1	
	784 (1568 98)		
	36 <i>B</i> 9 108		
	$\frac{36B}{98} = \frac{9}{784} - \frac{108}{1568}$		
		A1	
	$\frac{36}{98}B = \frac{70560}{1229312}$		
	$B = \frac{5}{32}$		
	<i>3</i> ∠		
	17		
	8		
	15		
	$\sqrt{17^2 - 15^2} = 8$	B1	
	a) $\tan \theta = -\frac{8}{15}$	D1	
	a) $\tan \theta = -\frac{1}{15}$	A1	
	$b)\sin(180 - \theta) = \sin\theta = \frac{8}{17}$	A1	
	-:	10m	
		k	
2	(i)DT-100+an 20	S N/1	
0	(i)PT=100tan 30 =57.74	M1 A1	
		YI.	
	(ii)Length PR= $\frac{57.74}{\sin 45}$	M1	
	sin 45 =81.66	1417	
	=81.66 PS ² =81.66 ² +80 ² -2×81.66×80cos 100	M1	
	PS=123.8m	A1	
	(iii)PT=TR=57.74cm	-	
	100		
	$PQ = \frac{100}{\cos 30}$	M1	
	=115.5m		
	Perimeter =115.5+100+57.74+80+123.8		
	=477.04	A1	
		l .	

		•	1
	=477.0m (4sf)		
	b) Total perimeter =477.0+57.74+81.66		
	=616.4m		
	Perimeter of open area =2.8×3	B1	
	=8.4m		
	Fenced perimeter =616.4-8.4	M1	
	- =608		
	No of rolls= $\frac{608 \times 5}{480}$	A1	
	=6.333		
	-0.555	10	
		m k	
	(a)(i) Interpot periode = 6 (for 6 periode)	S	
2	(a)(i) Interest periods = 6 (for 6 periods)		
1	Total interest $\% = 6 \times 3.5 = 21\%$	D.4	
•		B1	
	121 p. 24905		
	$\frac{121}{100}P = 24805$	M1	
	$P = \frac{24805 \times 100}{121} = \underline{\text{sh.20500}}$	M1	
	$121 \ $	A1	
	$\sim n$		
	ii) $A = P \left(1 + \frac{r}{100}\right)^n$		
	100)		
	$(3.5)^6$ P/4 03516		
	24805 = $P\left(1 + \frac{3.5}{100}\right)^6$ = P (1.035) ⁶ $P = \frac{24805}{(1.035)^6}$	M1	
	= sh.20190		
	- <u>311.20130</u>	M1	
	(b) S.I. = 24805 – 20500 = 4305		
	C.I. = 24805 – 20190= 4610	A1	
			(both
	Difference = $4610 - 4305$ = $\frac{\text{sh.}305}{\text{sh.}305}$	M1	inte
			rest
			s)
			",
		A1	
		71	
		L	

			1
2 2	4 3 8		
	$\sin \theta = \frac{3}{8} \Rightarrow \theta = 22.02^{\circ}$ $2\theta = 44.04^{\circ}$ $\sin \theta = \frac{3}{4} \Rightarrow \theta = 48.59^{\circ}$ $2\theta = 97.18^{\circ}$	B1 B1	√ angl e
	area of circle = $\left\{ \left(\frac{44.04}{360} \times 3.142 \times 8 \times 8 \right) - \left(\frac{1}{2} \times 8 \times 8 Sin44.04 \right) \right\}$	M1 M	√ angl e
	$+ \left\{ \left(\frac{97.18}{360} \times 3.142 \times 4 \times 4 \right) - \left(\frac{1}{2} \times 4 \times 4 Sin97.18 \right) \right\}$	1	area in one circl
	=(24.60 – 22.25) + (13.57 – 7.937)	M1	е
	=2.35 + 5.633 = 7.983cm ² b) $arc \ length = \frac{262.82}{360} \times 3.142 \times 16 + \frac{315.92}{360} \times 3.142 \times 8$	A1	are in the oth er circl e
	=36.70 + 22.06 = <u>58.76cm</u>	M1 M1 A1	single
			valu es
			1 st arc leng th 2 nd arc

								leng th single valu es
							10 m k s	
3 .	A CARCONCOLO		6 18:5 18:5		*		✓B 1 ✓B 1 ✓B	Axes f.d colu mn c.f $\sum fx =$
	Boundaries	X	f	fx	cf	f.dev	✓B	848
	1.5 – 5.5 5.5 – 7.5	3.5 6.5	16 20	56 130	16 36	10	1 ✓B	Allcorr
	7.5 – 13.5	10.5	18	189	54	3	2	ect bars
	13.5 -15.5	14.5	14	203	68	7	✓B	3 – 4
	15.5 – 20.5	18.0	15	270	83	3	1	bars
	b) (i) mean = $\frac{\sum_{i}}{\sum_{j}}$	$\frac{f^{\lambda}}{f}$						corr ecty plot
	$=\frac{848}{83}$							ted
	= 10.2167kg							
The E	Examiner			26		SET 1	I	1

	(ii) median = $\frac{7.5 + 42 - 36 \times 6}{18}$		
	10	N.4.4	
	= 9.5kg	M1 A1	
		/\1	
		M1	Substiu
		A1	tion
			Answer
			C.A.O
		10m	
2	a) 15cm = 15 = 0.15m		
4	100 i) outer $v = 2(7.5 + 5.3)3.3m^3$		
	$= 84.48m^3$		
	$inner \ v = 2(7.2 + 5)3.3$		
	$= 80.52m^3$	B1	
		В	
	$V \ of \ material = 84.48 - 80.52m^3$	M1	
	$= 3.96m^3$ (ii) Valume of the deer and windows – 5 x 0.15		
	(ii) Volume of the door and windows = 5×0.15 = 0.750 m ³	M1	
	Volume wall = 3.96 – 0.750	М	
	$= 3.21 \text{ m}^3$	1	
	b) 1m = 1000mm		
	volume of a block = <u>450</u> x <u>200</u> x <u>150</u> 1000 1000	۸1	
	= 0.45 x 0.2 x 0.15	A1	
	$= 0.0135 \text{m}^3$	M1	
	Number of block = $\frac{3.21 - 0.225 \text{m}^3}{0.0135}$		
		A1	
	$=221\frac{1}{9}$		
		M1	
		M1	
		M1	
		A1	